



*Trusted Supplier of the
Food, Beverage & Medical Industries*



EQUIPMENT CATALOG

SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com

Superior by Design

Stainless steel equipment reimaged and re-engineered from the ground up to eliminate tubular frames and hollow components.

Always Stainless

High quality materials result in high quality products for sanitary environments.



Fully Formed

No tubing or hollow components whatsoever, eliminating areas for bacteria and contaminants to harbor.



Simple Sanitation

Engineered with sanitation and maintenance teams in mind. Simple designs mean simple, less time-consuming sanitation.

Customizable

All of our equipment is fully customizable to meet the specific needs and preferences of our clients.

Durable

Built to withstand prolonged use and harsh routine sanitation.

SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com

TABLE OF CONTENTS

Model No.	Description	Page No.
SSL-1001	Tables	4-8
SSL-1002	Tab Top Tables	9-13
SSL-1119	Shop Cart	14
SSL-1008	Single Bin Cart	15
SSL-1065	Dual Bin Cart	16
SSL-1109	Side-by-Side Dual Bin Cart	17
SSL-1067	Triple Bin Cart	18
SSL-1095	Quad Bin Cart	19
SSL-1322	6-Bin Cart	20
SSL-1007, SSL-1293 & SSL-1083	Trash Bag Holder	21
SSL-1011	Twist-Lock Container Dolly	22
SSL-1110	Container Dolly Cart	23
SSL-1604, SSL-1515, SSL-1517 & SSL-1518	Bench	24
SSL-1112	Utility Cart	25
SSL-1105	Shop Desk	26
SSL-1602 & SSL-1603	Push Cart	27
SSL-1451 & SSL-1211	Heavy Duty Push Cart	29
SSL-1393	Mobile Tub Cart	28
SSL-1005, SSL-1522 & SSL-1527	Workstation Platform	30
SSL-1528, SSL-1529 & SSL-1321	Single Step Platform	31
SSL-1271 & SSL-1071	2-Step Platform	32
SSL-1025 & SSL-1076	Mobile Boot Rack	33
SSL-1074 & SSL-1075	Wall-Mounted Boot Rack	34
SSL-1012	Glove Box Holder	35
SSL-1046, SSL-1048 & SSL-1050	Removable Coat/Frock Hanger	36
SSL-1045, SSL-1047 & SSL-1049	Fixed Coat/Frock Hanger	37
SSL-1028, SSL-1143 & SSL-1390	Coat/Frock Rack	38
SSL-1581	Stool	39
SSL-1103	Hygienic Chair	40
Supplementary Information	Project Process	41

SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com



Top

The top is formed of 11 gauge / 304 stainless steel and TIG welded complete to the frame. Our patented design eliminates all closed channels and requires no nuts, bolts, or threads for assembly.

Frame


The frame is constructed of 11 gauge / 304 stainless steel and utilizes completely formed components (no tubular or hollow components). The frame is TIG welded complete and the table is fully assembled. Weight capacity = 1,200 lbs.

Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing Options (see pages 5-8)

- Paw Print
- Casters
- Acetal Pads
- Adjustable Pads



Standard Dimensions


Length	Width	Height
36"	24"	35"
36"	30"	35"
36"	36"	35"
48"	24"	35"
48"	30"	35"
48"	36"	35"
60"	24"	35"
60"	30"	35"
60"	36"	35"
72"	24"	35"
72"	30"	35"
72"	36"	35"

SSL Industries, LLC

Phone: (920) 893-2991


Get a Quote: sales@sslindustries.com

www.sslindustries.com




- SSL Industries' proprietary design
- (3) Formed tabs on the base of the foot for ample stability
- Most preferred option by regulatory bodies due to inherit clean design and sanitation

Model No.	Dimensions			Footing	Price / Ea. @ Qty:		
	L	W	H		1	5	10
SSL-1001-36X24	36"	24"	35"	Paw Print	\$1,250	\$1,205	\$1,155
SSL-1001-36X30	36"	30"	35"	Paw Print	\$1,355	\$1,310	\$1,265
SSL-1001-36X36	36"	36"	35"	Paw Print	\$1,460	\$1,410	\$1,360
SSL-1001-48X24	48"	24"	35"	Paw Print	\$1,420	\$1,370	\$1,320
SSL-1001-48X30	48"	30"	35"	Paw Print	\$1,550	\$1,495	\$1,445
SSL-1001-48X36	48"	36"	35"	Paw Print	\$1,680	\$1,620	\$1,565
SSL-1001-60X24	60"	24"	35"	Paw Print	\$1,630	\$1,575	\$1,520
SSL-1001-60X30	60"	30"	35"	Paw Print	\$1,790	\$1,730	\$1,670
SSL-1001-60X36	60"	36"	35"	Paw Print	\$1,950	\$1,885	\$1,820
SSL-1001-72X24	72"	24"	35"	Paw Print	\$1,845	\$1,780	\$1,720
SSL-1001-72X30	72"	30"	35"	Paw Print	\$2,030	\$1,960	\$1,890
SSL-1001-72X36	72"	36"	35"	Paw Print	\$2,215	\$2,140	\$2,065




- Standard 4" solid blue polyurethane wheels
- (2) Rigid and (2) swivel with total locking brakes
- Load capacity of 300 lbs. per caster (1,200 lbs. per table)
- Temperature resistance -40°F to +180°F
- ½" Stainless steel spacers between footing and caster plates
- Stainless steel carriage bolts and acorn nuts

Model No.	Dimensions			Footing	Price / Ea. @ Qty:		
	L	W	H		1	5	10
SSL-1001-C-36X24	36"	24"	35"	½" SS Spacers & 4" Casters	\$1,550	\$1,495	\$1,440
SSL-1001-C-36X30	36"	30"	35"	½" SS Spacers & 4" Casters	\$1,665	\$1,600	\$1,540
SSL-1001-C-36X36	36"	36"	35"	½" SS Spacers & 4" Casters	\$1,780	\$1,700	\$1,635
SSL-1001-C-48X24	48"	24"	35"	½" SS Spacers & 4" Casters	\$1,715	\$1,655	\$1,600
SSL-1001-C-48X30	48"	30"	35"	½" SS Spacers & 4" Casters	\$1,850	\$1,785	\$1,725
SSL-1001-C-48X36	48"	36"	35"	½" SS Spacers & 4" Casters	\$1,985	\$1,915	\$1,845
SSL-1001-C-60X24	60"	24"	35"	½" SS Spacers & 4" Casters	\$1,930	\$1,865	\$1,800
SSL-1001-C-60X30	60"	30"	35"	½" SS Spacers & 4" Casters	\$2,090	\$2,015	\$1,945
SSL-1001-C-60X36	60"	36"	35"	½" SS Spacers & 4" Casters	\$2,250	\$2,165	\$2,090
SSL-1001-C-72X24	72"	24"	35"	½" SS Spacers & 4" Casters	\$2,145	\$2,070	\$1,995
SSL-1001-C-72X30	72"	30"	35"	½" SS Spacers & 4" Casters	\$2,330	\$2,250	\$2,170
SSL-1001-C-72X36	72"	36"	35"	½" SS Spacers & 4" Casters	\$2,515	\$2,430	\$2,345



- 1" Thick rectangular acetal pads on the base of footing for ease of mobility
- Relieved corners on the base of the footing for drainage
- Stainless steel hex cap screws

Model No.	Dimensions			Footing	Price / Ea. @ Qty:		
	L	W	H		1	5	10
SSL-1001-P-36X24	36"	24"	35"	Acetal Pads	\$1,365	\$1,320	\$1,280
SSL-1001-P-36X30	36"	30"	35"	Acetal Pads	\$1,470	\$1,425	\$1,380
SSL-1001-P-36X36	36"	36"	35"	Acetal Pads	\$1,575	\$1,530	\$1,480
SSL-1001-P-48X24	48"	24"	35"	Acetal Pads	\$1,535	\$1,485	\$1,435
SSL-1001-P-48X30	48"	30"	35"	Acetal Pads	\$1,665	\$1,610	\$1,560
SSL-1001-P-48X36	48"	36"	35"	Acetal Pads	\$1,795	\$1,735	\$1,685
SSL-1001-P-60X24	60"	24"	35"	Acetal Pads	\$1,745	\$1,700	\$1,635
SSL-1001-P-60X30	60"	30"	35"	Acetal Pads	\$1,905	\$1,845	\$1,785
SSL-1001-P-60X36	60"	36"	35"	Acetal Pads	\$2,065	\$1,990	\$1,935
SSL-1001-P-72X24	72"	24"	35"	Acetal Pads	\$1,960	\$1,895	\$1,835
SSL-1001-P-72X30	72"	30"	35"	Acetal Pads	\$2,145	\$2,075	\$2,005
SSL-1001-P-72X36	72"	36"	35"	Acetal Pads	\$2,330	\$2,235	\$2,175



- 7GA stainless steel circular pads welded complete to thread, offering 1-3/4" of adjustability on all feet
- Relieved corners on the base of the footing for drainage
- Completely removable for washdown and sanitation
- Stainless steel hex nuts
- **NOTE: Adjustable feet not USDA or NSF/ANSI/3-A Compliant**

Model No.	Dimensions			Footing	Price / Ea. @ Qty:		
	L	W	H		1	5	10
SSL-1001-A-36X24	36"	24"	35"	Adjustable Pads	\$1,330	\$1,285	\$1,245
SSL-1001-A-36X30	36"	30"	35"	Adjustable Pads	\$1,435	\$1,390	\$1,345
SSL-1001-A-36X36	36"	36"	35"	Adjustable Pads	\$1,540	\$1,495	\$1,445
SSL-1001-A-48X24	48"	24"	35"	Adjustable Pads	\$1,500	\$1,450	\$1,400
SSL-1001-A-48X30	48"	30"	35"	Adjustable Pads	\$1,630	\$1,575	\$1,525
SSL-1001-A-48X36	48"	36"	35"	Adjustable Pads	\$1,760	\$1,700	\$1,650
SSL-1001-A-60X24	60"	24"	35"	Adjustable Pads	\$1,710	\$1,665	\$1,600
SSL-1001-A-60X30	60"	30"	35"	Adjustable Pads	\$1,870	\$1,810	\$1,750
SSL-1001-A-60X36	60"	36"	35"	Adjustable Pads	\$2,030	\$1,955	\$1,900
SSL-1001-A-72X24	72"	24"	35"	Adjustable Pads	\$1,925	\$1,860	\$1,800
SSL-1001-A-72X30	72"	30"	35"	Adjustable Pads	\$2,110	\$2,040	\$1,970
SSL-1001-A-72X36	72"	36"	35"	Adjustable Pads	\$2,295	\$2,200	\$2,140



Top

Formed tabs around the perimeter of the top of the frame allows for customer to place desired removable working surface. Our patented design eliminates all closed channels and requires no nuts, bolts, or threads for assembly.

Frame


The frame is constructed of 11 gauge / 304 stainless steel and utilizes formed components (no tubular or hollow components). The frame is TIG welded complete and fully assembled.

Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing Options (see pages 10-13)

- Paw Print
- Casters
- Acetal Pads
- Adjustable Pads



Standard Dimensions


Length	Width	Height
36"	24"	35"
36"	30"	35"
36"	36"	35"
48"	24"	35"
48"	30"	35"
48"	36"	35"
60"	24"	35"
60"	30"	35"
60"	36"	35"
72"	24"	35"
72"	30"	35"
72"	36"	35"

SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com


www.sslindustries.com



- SSL Industries' proprietary design
- (3) Formed tabs on the base of the foot for ample stability
- Most preferred option by regulatory bodies due to inherit clean design and sanitation

Prices do not include removable working surface

Model No.	Dimensions			Footing	Price / Ea. @ Qty:		
	L	W	H		1	5	10
SSL-1002-36X24	36"	24"	35"	Paw Print	\$640	\$615	\$595
SSL-1002-36X30	36"	30"	35"	Paw Print	\$665	\$645	\$620
SSL-1002-36X36	36"	36"	35"	Paw Print	\$695	\$670	\$650
SSL-1002-48X24	48"	24"	35"	Paw Print	\$720	\$695	\$670
SSL-1002-48X30	48"	30"	35"	Paw Print	\$750	\$725	\$695
SSL-1002-48X36	48"	36"	35"	Paw Print	\$780	\$750	\$725
SSL-1002-60X24	60"	24"	35"	Paw Print	\$860	\$830	\$800
SSL-1002-60X30	60"	30"	35"	Paw Print	\$905	\$875	\$845
SSL-1002-60X36	60"	36"	35"	Paw Print	\$950	\$920	\$885
SSL-1002-72X24	72"	24"	35"	Paw Print	\$945	\$910	\$880
SSL-1002-72X30	72"	30"	35"	Paw Print	\$990	\$955	\$920
SSL-1002-72X36	72"	36"	35"	Paw Print	\$1,035	\$1,000	\$965



- Standard 4" solid blue polyurethane wheels
- (2) Rigid and (2) swivel with total locking brakes
- Load capacity of 300 lbs. per caster (1,200 lbs. per table)
- Temperature resistance -40°F to +180°F
- ½" Stainless steel spacers between footing and caster plates
- Stainless steel carriage bolts and acorn nuts

Prices do not include removable working surface


Model No.	Dimensions			Footing	Price / Ea. @ Qty:		
	L	W	H		1	5	10
SSL-1002-C-36X24	36"	24"	35"	½" SS Spacers & 4" Casters	\$1,115	\$1,075	\$1,035
SSL-1002-C-36X30	36"	30"	35"	½" SS Spacers & 4" Casters	\$1,140	\$1,100	\$1,065
SSL-1002-C-36X36	36"	36"	35"	½" SS Spacers & 4" Casters	\$1,170	\$1,130	\$1,090
SSL-1002-C-48X24	48"	24"	35"	½" SS Spacers & 4" Casters	\$1,195	\$1,155	\$1,115
SSL-1002-C-48X30	48"	30"	35"	½" SS Spacers & 4" Casters	\$1,225	\$1,180	\$1,140
SSL-1002-C-48X36	48"	36"	35"	½" SS Spacers & 4" Casters	\$1,255	\$1,210	\$1,165
SSL-1002-C-60X24	60"	24"	35"	½" SS Spacers & 4" Casters	\$1,335	\$1,290	\$1,245
SSL-1002-C-60X30	60"	30"	35"	½" SS Spacers & 4" Casters	\$1,380	\$1,335	\$1,285
SSL-1002-C-60X36	60"	36"	35"	½" SS Spacers & 4" Casters	\$1,430	\$1,380	\$1,330
SSL-1002-C-72X24	72"	24"	35"	½" SS Spacers & 4" Casters	\$1,420	\$1,370	\$1,320
SSL-1002-C-72X30	72"	30"	35"	½" SS Spacers & 4" Casters	\$1,465	\$1,415	\$1,365
SSL-1002-C-72X36	72"	36"	35"	½" SS Spacers & 4" Casters	\$1,510	\$1,455	\$1,405

SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com



- 1" Thick rectangular acetal pads on the base of footing for ease of mobility
- Relieved corners on the base of the footing for drainage
- Stainless steel hex cap screws

Prices do not include removable working surface


Model No.	Dimensions			Footing	Price / Ea. @ Qty:		
	L	W	H		1	5	10
SSL-1002-P-36X24	36"	24"	35"	Acetal Pads	\$770	\$740	\$715
SSL-1002-P-36X30	36"	30"	35"	Acetal Pads	\$800	\$770	\$745
SSL-1002-P-36X36	36"	36"	35"	Acetal Pads	\$825	\$800	\$770
SSL-1002-P-48X24	48"	24"	35"	Acetal Pads	\$850	\$820	\$790
SSL-1002-P-48X30	48"	30"	35"	Acetal Pads	\$880	\$850	\$820
SSL-1002-P-48X36	48"	36"	35"	Acetal Pads	\$910	\$875	\$845
SSL-1002-P-60X24	60"	24"	35"	Acetal Pads	\$990	\$955	\$925
SSL-1002-P-60X30	60"	30"	35"	Acetal Pads	\$1,040	\$1,000	\$965
SSL-1002-P-60X36	60"	36"	35"	Acetal Pads	\$1,085	\$1,045	\$1,010
SSL-1002-P-72X24	72"	24"	35"	Acetal Pads	\$1,075	\$1,035	\$1000
SSL-1002-P-72X30	72"	30"	35"	Acetal Pads	\$1,120	\$1,080	\$1,045
SSL-1002-P-72X36	72"	36"	35"	Acetal Pads	\$1,165	\$1,125	\$1,085

SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com



- 7GA stainless steel circular pads welded complete to thread, offering 1-3/4" of adjustability on all feet
- Relieved corners on the base of the footing for drainage
- Completely removable for washdown and sanitation
- Stainless steel hex nuts
- **NOTE: Adjustable feet not USDA or NSF/ANSI/3-A Compliant**

Prices do not include removable working surface

Model No.	Dimensions			Footing	Price / Ea. @ Qty:		
	L	W	H		1	5	10
SSL-1002-A-36X24	36"	24"	35"	Adjustable Pads	\$675	\$655	\$630
SSL-1002-A-36X30	36"	30"	35"	Adjustable Pads	\$705	\$680	\$655
SSL-1002-A-36X36	36"	36"	35"	Adjustable Pads	\$735	\$710	\$685
SSL-1002-A-48X24	48"	24"	35"	Adjustable Pads	\$760	\$735	\$705
SSL-1002-A-48X30	48"	30"	35"	Adjustable Pads	\$790	\$760	\$735
SSL-1002-A-48X36	48"	36"	35"	Adjustable Pads	\$820	\$790	\$760
SSL-1002-A-60X24	60"	24"	35"	Adjustable Pads	\$900	\$870	\$840
SSL-1002-A-60X30	60"	30"	35"	Adjustable Pads	\$945	\$915	\$880
SSL-1002-A-60X36	60"	36"	35"	Adjustable Pads	\$990	\$955	\$925
SSL-1002-A-72X24	72"	24"	35"	Adjustable Pads	\$985	\$950	\$915
SSL-1002-A-72X30	72"	30"	35"	Adjustable Pads	\$1,030	\$990	\$955
SSL-1002-A-72X36	72"	36"	35"	Adjustable Pads	\$1,075	\$1,035	\$1,000

SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com



Top & Bottom Tray

Formed 11 gauge / 304 stainless steel and features strategically located lasered holes for proper drainage. 1-1/2" top tray and 4" bottom tray.

Handle

Formed Ø3/4" stainless steel solid round stock.

Frame

Formed 11 gauge / 304 stainless steel (no hollow or tubular components).

Construction

All contact points are TIG welded complete and the cart is fully assembled. Weight capacity = 1,000 lbs.

Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 4" swivel with total locking brake & (2) 4" rigid casters with 1/2" stainless steel spacers and hardware

Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1119 (36"L x 24"W x 35"H)	\$1,495	\$1,450	\$1,395





Material

Formed 11 gauge / 304 stainless steel and Ø3/4" stainless steel solid round stock (no hollow or tubular components).

Design

Engineered to fit (1) standard bin/tote (not included).

Construction


All contact points are TIG welded complete and the cart is fully assembled.

Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 4" swivel with total locking brake & (2) 4" swivel casters with 1/2" stainless steel spacers and hardware



Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1008	\$895	\$865	\$835



Material

Formed 11 gauge / 304 stainless steel and Ø3/4" stainless steel solid round stock (no hollow or tubular components).

Design

Engineered to fit (2) standard bins/totes (not included).

Construction

All contact points are TIG welded complete and the cart is fully assembled.




Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 4" swivel with total locking brake & (2) 4" swivel casters with 1/2" stainless steel spacers and hardware



Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1065	\$975	\$945	\$925



Material

Formed 11 gauge / 304 stainless steel and Ø3/4" stainless steel solid round stock (no hollow or tubular components).

Design

Engineered to fit (2) standard bins/totes (not included).

Construction


All contact points are TIG welded complete and the cart is fully assembled.

Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 4" swivel with total locking brake & (2) 4" swivel casters with 1/2" stainless steel spacers and hardware



Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1109	\$985	\$955	\$935



Material

Formed 11 gauge / 304 stainless steel and Ø3/4" stainless steel solid round stock (no hollow or tubular components).

Design

Engineered to fit (3) standard bins/totes (not included).

Construction


All contact points are TIG welded complete and the cart is fully assembled.

Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 4" swivel with total locking brake & (2) 4" swivel casters with 1/2" stainless steel spacers and hardware



Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1067	\$1,050	\$995	\$950



Material

Formed 11 gauge / 304 stainless steel and Ø3/4" stainless steel solid round stock (no hollow or tubular components).

Design

Engineered to fit (4) standard bins/totes (not included).

Construction


All contact points are TIG welded complete and the cart is fully assembled.

Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 4" swivel with total locking brake & (2) 4" swivel casters with 1/2" stainless steel spacers and hardware



Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1095	\$1,200	\$1,150	\$1,095



Material

Formed 11 gauge / 304 stainless steel and Ø3/4" stainless steel solid round stock (no hollow or tubular components).

Design

Engineered to fit (6) standard bins/totes (not included).

Construction

All contact points are TIG welded complete and the cart is fully assembled.




Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 4" swivel with total locking brake & (2) 4" swivel casters with 1/2" stainless steel spacers and hardware



Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1322	\$1,650	\$1,595	\$1,525



Model No. SSL-1007



Model No. SSL-1293



Model No. SSL-1083

Material

Formed 11 gauge / 304 stainless steel and Ø3/4" stainless steel solid round stock (model nos. SSL-1007 & SSL-1083) or rolled 7 gauge / 304 stainless steel (model no. SSL-1293) (no hollow or tubular components).

Construction

All contact points are TIG welded complete and the trash bag holders are fully assembled.

Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Model nos. SSL-1007 & SSL-1083: Paw Print (standard) or acetal pads (available upon request)

Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1007	\$535	\$515	\$495
SSL-1293	\$310	\$295	\$285
SSL-1083	\$595	\$575	\$550



Material

Formed 11 gauge / 304 stainless steel (no hollow or tubular components).

Design

Engineered for 20-, 32-, 44- & 55-gallon cans (not included) to easily twist and lock into place.

Construction

All contact points are TIG welded complete and the dolly is fully assembled.

Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (4) 3” swivel casters and stainless steel hardware

Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1011	\$475	\$455	\$440



Material

Formed 11 gauge / 304 stainless steel and stainless steel wash-through cylinder to fit SSL Industries' container dollies (model no. SSL-1011).

Construction

All contact points are TIG welded complete and the cart fully assembled.

Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (4) 4" swivel casters with ½" stainless steel spacers and hardware

Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1110	\$795	\$770	\$750





Model No. SSL-1604 Pictured

Material

Formed 11 gauge / 304 stainless steel and Ø3/4" or Ø1" stainless steel solid round stock (no hollow or tubular components).

Construction

All contact points are TIG welded complete and the bench is fully assembled. Weight capacity = 1,250 lbs.

Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Standard benches have Paw Print footing (pictured). Rubber non-skid pads, UHMW pads, or acetal pads are available upon request.

Dimensional Options & Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1604 (30"L x 12"W x 18"H)	\$575	\$555	\$535
SSL-1515 (48"L x 12"W x 18"H)	\$825	\$795	\$765
SSL-1517 (60"L x 12"W x 18"H)	\$995	\$960	\$925
SSL-1518 (72"L x 12"W x 18"H)	\$1,125	\$1,085	\$1,045





Top & Shelves

Formed 11 gauge / 304 stainless steel (no hollow or tubular components).

Handle

Formed Ø3/4" stainless steel solid round stock.

Frame

Formed 11 gauge / 304 stainless steel (no hollow or tubular components).



Construction

All contact points are TIG welded complete and the cart is fully assembled. Weight capacity = 1,000 lbs.

Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 4" swivel with total locking brake & (2) 4" rigid casters with ½" stainless steel spacers and hardware

Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1112 (36"L x 24"W x 35"H)	\$1,650	\$1,595	\$1,550





Material

16, 14, and 11 gauge / 304 stainless steel and Ø3/4" stainless steel solid round stock (no hollow or tubular components).

Removable Tray

Features a slide-out 24"L x 24"W x 4"H 14 gauge / 304 stainless steel tray.

Construction

All contact points are TIG welded complete and the desk is fully assembled.

Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 4" swivel with total locking brake & (2) 4" swivel casters with ½" stainless steel spacers and hardware

Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1105	\$1,295	\$1,250	\$1,195





Model No. SSL-1602 Pictured

Top & Frame

Formed 11 gauge / 304 stainless steel (no hollow or tubular components).

Handle

Ø1" Stainless steel solid round stock.

Construction

All contact points are TIG welded complete and the cart is fully assembled. Weight capacity = 1,200 lbs.

Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 4" swivel with total locking brake & (2) 4" rigid casters with ½" stainless steel spacers and hardware

Dimensional Options & Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1602 (36" x 24")	\$1,695	\$1,635	\$1,575
SSL-1603 (48" x 24")	\$1,860	\$1,795	\$1,730





Model No. SSL-1211 Pictured



Material

Formed 1/4" & 7 gauge / 304 stainless steel (no hollow or tubular components).

Handle

Ø1" Stainless steel solid round stock.

Construction

All contact points are TIG welded complete and the cart is fully assembled. Weight capacity = 2,500 lbs.

Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 8" swivel with total locking brake & (2) 8" rigid casters with 1/2" stainless steel spacers and hardware

Dimensional Options & Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1451 (36" x 30")	\$2,050	\$1,975	\$1,905
SSL-1211 (48" x 30")	\$2,295	\$2,195	\$2,125





Tub & Frame

Formed 11 gauge / 304 stainless steel (no hollow or tubular components). Inside dimensions of the tub are 48"L x 24"W x 17"D and features a Ø1" drainage hole with 1"L drainage tube.

Handle

Ø1" Stainless steel solid round stock.

Construction

All contact points are TIG welded complete and the cart is fully assembled. Weight capacity = 1,000 lbs.

Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 4" swivel with total locking brake & (2) 4" rigid casters with ½" stainless steel spacers and hardware

Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1393	\$2,295	\$2,225	\$2,175




SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com



Model No. SSL-1005 Pictured

Material

Formed 14 gauge / 304 stainless steel (no hollow or tubular components).

Design

Features formed tabs around the perimeter of the top for customer to place rubber mats (not included). Lasered holes on top of the platform allows for proper drainage.

Construction

All contact points are TIG welded complete and the platform is fully assembled. Weight capacity = 350 lbs.

Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Rubber non-skid pads

Dimensional Options & Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1005 (24"L x 24"W x 6"H)	\$450	\$435	\$425
SSL-1522 (36"L x 24"W x 6"H)	\$525	\$505	\$490
SSL-1527 (48"L x 24"W x 6"H)	\$600	\$580	\$560



Model No. SSL-1522



Model No. SSL-1321 Pictured



Material

Formed 11 gauge / 304 stainless steel (no hollow or tubular components).

Top

Features lasered holes all punched up for grip.

Construction

All contact points are TIG welded complete and the platform is fully assembled. Weight capacity = 1,000 lbs.

Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Standard platforms have Paw Print footing (pictured). Rubber non-skid pads, UHMW pads, or acetal pads are available upon request.

Dimensional Options & Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1528 (24"L x 24"W x 8"H)	\$675	\$650	\$595
SSL-1529 (36"L x 24"W x 8"H)	\$775	\$750	\$695
SSL-1321 (48"L x 24"W x 8"H)	\$875	\$850	\$795



Model No. SSL-1528



Model No. SSL-1271 Pictured



Material

Formed 11 gauge / 304 stainless steel and Ø1" stainless steel solid round stock (no tubular or hollow components).

Top & Step

Features lasered holes all punched up for grip and tabbed kick plates around the perimeters.

Construction

All contact points are TIG welded complete and the platform is fully assembled. Weight capacity = 1,000 lbs.

Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Standard platforms have Paw Print footing (pictured). Rubber non-skid pads, UHMW pads, or acetal pads are available upon request.

Footing Options & Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1271 (w/ Paw Print)	\$1,595	\$1,550	\$1,495
SSL-1071 (w/ Rubber Pads)	\$1,640	\$1,595	\$1,540



Model No. SSL-1071



Model No. SSL-1025 Pictured

Material

Formed 11 gauge / 304 stainless steel and Ø1" & Ø1/4" stainless steel solid round stock (no hollow or tubular components).

Construction


All contact points are TIG welded complete and the rack is fully assembled.

Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Casters – (2) 4" swivel with total locking brake & (2) 4" rigid casters with 1/2" stainless steel spacers and hardware



Model No. SSL-1076

Capacity Options & Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1025 (15-Pair)	\$2,195	\$2,095	\$1,995
SSL-1076 (24-Pair)	\$2,495	\$2,395	\$2,295



**Model No.
SSL-1075 Pictured**



Material

Formed 11 gauge / 304 stainless steel and Ø1" & Ø1/4" stainless steel solid round stock (no hollow or tubular components).

Construction


All contact points are TIG welded complete and the rack is fully assembled.

Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Mounting

Each unit ships with (4) stainless steel mounting plates for 1/4" screw/bolt to allow for easy lift-off. Mounting hooks available upon request.



**Model No.
SSL-1074**

Capacity Options & Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1074 (15-Pair)	\$1,225	\$1,195	\$1,165
SSL-1075 (20-Pair)	\$1,300	\$1,265	\$1,235

SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com



Material

11 gauge / 304 stainless steel and Ø1/4" stainless steel solid round stock (no hollow or tubular components). Fits (4) standard glove boxes.

Construction


The glove box holder is TIG welded complete.

Mounting

Each unit ships with (2) stainless steel mounting plates for ease of lift-off and sanitation.

Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.



Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1012	\$150	\$145	\$140

SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com



Model No. SSL-1048 Pictured



Material

Formed 11 gauge / 304 stainless steel (no hollow or tubular components).

Design



Engineered to fit (5), (9), or (13) coats/frocks. Comes standard with a lower spacer bar so hanging coats/frocks avoid direct contact with the wall.

Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Mounting

Each unit ships with (4) stainless steel mounting plates for ease of lift-off and sanitation.



Model No. SSL-1046

Capacity Options & Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1046 (5-Hook Removable)	\$205	\$195	\$185
SSL-1048 (9-Hook Removable)	\$275	\$265	\$255
SSL-1050 (13-Hook Removable)	\$325	\$315	\$305



Model No. SSL-1049 Pictured



Model No. SSL-1045 Pictured

Material

Formed 11 gauge / 304 stainless steel (no hollow or tubular components).

Design




Engineered to fit (5), (9), or (13) coats/frocks.

Finish

All components receive a dual-action medium Scotch-Brite finish.

Mounting

Clearance holes for 1/4" screw/bolt to allow for direct wall mounting.



Capacity Options & Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1045 (5-Hook Fixed)	\$85	\$80	\$75
SSL-1047 (9-Hook Fixed)	\$105	\$100	\$95
SSL-1049 (13-Hook Fixed)	\$130	\$125	\$115

SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com



Model No. SSL-1028



Model No. SSL-1143

Material

Formed 11 gauge / 304 stainless steel and Ø1" stainless steel solid round stock (no hollow or tubular components).

Design

Engineered with 22 formed hooks for the hanging of coats/frocks. Closed base (to avoid contact with the floor) and open base models available.

Construction

All contact points are TIG welded complete and the rack is fully assembled.


Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Paw Print or Casters – (2) 4" swivel with total locking brake & (2) 4" rigid casters with ½" stainless steel spacers and hardware

Model No.
SSL-1390



Design Options & Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1028 (Closed Base w/ Casters)	\$1,395	\$1,350	\$1,295
SSL-1143 (Open Base w/ Paw Print)	\$1,095	\$1,050	\$995
SSL-1390 (Open Base w/ Casters)	\$1,295	\$1,250	\$1,195

SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com



Seat

Rolled 11 gauge / 304 stainless steel.

Frame

Formed 7 & 11 gauge / 304 stainless steel (no hollow or tubular components).

Construction

All contact points are TIG welded complete and the stool is fully assembled. Weight capacity = 500 lbs.



Finish


All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

1" Thick UHMW pads

Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1581	\$500	\$485	\$465



SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com



Material

Formed 11 gauge / 304 stainless steel and Ø1" stainless steel solid round stock (no hollow or tubular components).

Construction

All contact points are TIG welded complete and the chair is fully assembled. Weight capacity = 1,000 lbs.

Options


ADA Compliant version available upon request.

Finish

All components receive a dual-action medium Scotch-Brite finish and all welds are passivated.

Footing

Paw Print (standard) or acetal pads (available upon request)



Pricing

Model No.	Price / Ea. @ Qty:		
	1	5	10
SSL-1103 (w/ Paw Print)	\$1,095	\$995	\$975

Design & Engineering

With decades of combined experience, SSL Industries' engineers bring your products and ideas to life. When it comes to equipment for sanitary environments, we're the experts.




Fabrication

SSL Industries has state-of-the-art machinery and long-tenured, highly-skilled operators and employees to tackle complex and precise fabrication.



Shipped to Your Facility

All equipment is securely strapped and completely wrapped on custom sized skids. SSL Industries has direct relationships with the major carriers to seamlessly arrange logistics to your facility.



SSL Industries, LLC

Phone: (920) 893-2991

Get a Quote: sales@sslindustries.com

www.sslindustries.com